11002 U.S. PTO	10/51/20	7// /65 Class Subclass	ISSUE CLASSIFICATION		J.S. UTIL MT LAG			t Applic	ation	DATE	- 67	79095
17/2	(%)				SCANNED V	18	(C) Q.A	yac	**	AUG 1	7 2004	
The state of the s	APPLICATION 09/88	ON NO. 34822	CONT/		CLASS 709 71)		BCLASS	ART UNI	2186	EXAMINER .		.4 .
- A	Stephen Selkirk Charles Milligan											
dental control of the	, Appa 1 Nec	v and	And or	metho 19, 19	d for included the desired the	stą	ntucop , a a	Later 6	oca h	ing po	in Frs	PTO-2040 12/99
					ISSUING	à C	LASSI	FICATIO	ON			
	OF	IGINAL						CROSS R	EFEREN	CE(S)	χ.	
CLASS SUBCLASS					@ CLASS	SUBCLASS (ONE SUBCLASS PER E					BLOCK)	
	INTERNATION AT	0141 6:	165		7//	-#	114			 		
	INTERNATI	UNAL CL	ASSIFIC	ATION					<u> </u>	1	L	

ISSUING CLASSIFICATION										
ORIGIN	IAL	CROSS REFERENCE(S)								
CLASS	SUBCLASS	@ CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)							
711	165	7:11	114	I						
INTERNATIONA	L CLASSIFICATION							-		
G06F	13/00									
					•					
		1								
				Continued on Issue Slip Inside File Jacket						

TERMINAL	,	DRAWINGS		CLAIMS ALLOWED			
DISCLAIMER	Sheets Drwg.	Figs. Drwg.	Print Fig.	Total Claims	Print Claim for O.G.		
09/884,822	30	31	19	22			
☐ The term of this patent	(Assistant Examiner) (Date)			NOTICE OF ALLOWANCE MAILED			
subsequent to(date) has been disclaimed.				3-304			
The term of this patent shall not extend beyond the expiration date	Ju	John		10-1-03			
of U.S Patent. No.	GLENN G			ISSUE FEE			
	PRIMARY E ART UN			Amount Due	Date Paid		
	ANT UN		9-17-03 (Date)	# 1330 co	6/3/04 PM		
☐ The terminalmonths of this patent have been disclaimed.	C. Barris (Legal Instrumen	nts Examiner)	(Date)	ISSUE BAT	CH NUMBER		
WARNING:							
The information disclosed herein may be residently Possession outside the U.S. Patent & Traderr	tricted. Unauthorized d eark Office is restricted t	lisclosure may be p to authorized emple	prohibited by the L pyees and contrac	Inited States Code Title 35 tors only.	, Sections 122, 181 and 368.		
Form PTO-436A Rev. 6/99)			FILED WITH:	DISK (CRF)	FICHE CD-ROM		

ISSUE FEE IN FILE

Best Available Copy